Contents of Volume 94

PAGE

ABBRING, J. H. and VAN DEN BERG, G. J. The unobserved heterogeneity distribution in duration analysis 87

ABD-ELFATTAH, E. F. and BUTLER, R. W. The weighted log-rank class of permutation tests: *P*-values and confidence intervals using saddlepoint methods 543

AHN, J., MARRON, J. S., MULLER, K. M. and CHI, Y.-Y. The high-dimension, low-samplesize geometric representation holds under mild conditions 760

ANDO, T. Bayesian predictive information criterion for the evaluation of hierarchical Bayesian and empirical Bayes models 443

ASHBRIDGE, J. (See GOUDIE, I. B. J.)

BAILEY, R. A. and WILLIAMS, E. R. Optimal nested row-column designs with specified components 459

BANERJEE, M. (See SEN, B.)

BARTOLUCCI, F. and PENNONI, F. On the approximation of the quadratic exponential distribution in a latent variable context 745

BATE, S. (See CHANDLER, R. E.)

BAYARRI, M. J. and GARCÍA-DONATO, G. Extending conventional priors for testing general hypotheses in linear models 135

BERGER, Y. G. A jackknife variance estimator for unistage stratified samples with unequal probabilities 953

BERRY, D. A. (See CHENG, Y.)

BONDELL, H. D. Testing goodness-of-fit in logistic case-control studies 487

BUTLER, R. W. (See ABD-ELFATTAH, E. F.)

CAI, T. (See TIAN, L.)

CALLE, M. L. (See OLLER, R.)

CARROLL, R. J. (See CLAESKENS, G.)

CARROLL, R. J. (See LIANG, H.)

CARVALHO, C. M., MASSAM, H. and WEST, M. Simulation of hyper-inverse Wishart distributions in graphical models 647

CHAN, K.-S. (See SAMIA, N. I.)

CHANDLER, R. E. and BATE, S. Inference for clustered data using the independence loglikelihood 167

CHAUDHURI, S., DRTON, M. and RICHARDSON, T. S. Estimation of a covariance matrix with zeros 199

CHEN, Y. Q., YANG, J., CHENG, S. and JACKSON, J. B. Estimating a treatment effect with repeated measurements accounting for varying effectiveness duration . . 387

CHENG, S. (See CHEN, Y. Q.)

CHENG, Y. and BERRY, D. A. Optimal adaptive randomized designs for clinical trials . 673

CHI, Y.-Y. (See AHN, J.)

CHIAROMONTE, F. (See COOK, R. D.)

CLAESKENS, G. and CARROLL, R. J. An asymptotic theory for model selection inference in general semiparametric problems 249

CLARK, L. N. (See WANG, Y.)
COOK, R. D., LI, B. and CHIAROMONTE, F. Dimension reduction in regression without matrix inversion 569
COOK, R. D. (See LI, L.)
COOK, R. D. (See SHAO, Y.)
COOK, R. D. (See YOO, J. K.)
COX, D. R. On a generalization of a result of W. G. Cochran 755
DRTON, M. (See CHAUDHURI, S.)
DRYDEN, I. L. (See KUME, A.)
DUAN, J. A., GUINDANI, M. and GELFAND, A. E. Generalized spatial Dirichlet process models 809
EGUCHI, S. (See HENMI, M.)
ELMORE, R. (See HALL, P.)
FALCONER, K. and FERNÁNDEZ, C. Inference on fractal processes using multiresolution approximation 313
FERNÁNDEZ, C. (See FALCONER, K.)
FIENBERG, S. E. and KIM, S.-H. Positive association among three binary variables and cross-product ratios 999
FINE, J. P. (See PENG, L.)
FRIEL, N. and RUE, H. Recursive computing and simulation-free inference for general factorizable models 661
FUEDA, K. (See UEKI, M.)
GANDER, M. P. S. and STEPHENS, D. A. Simulation and inference for stochastic volatility models driven by Lévy processes 627
GARCÍA-DONATO, G. (See BAYARRI, M. J.)
GELFAND, A. E. (See DUAN, J. A.)
GEYER, C. J., WAGENIUS, S. and SHAW, R. G. Aster models for life history analysis . 415
GEYER, C. J. (See THOMPSON, E. A.)
GLIDDEN, D. V. Pairwise dependence diagnostics for clustered failure-time data . . 371
GOETGHEBEUR, E. (See TIAN, L.)
GÓMEZ, G. (See OLLER, R.)
GOSSELIN, F. (See TAYLOR, J. E.)
GOUDIE, I. B. J., JUPP, P. E. and ASHBRIDGE, J. Plant-capture estimation of the size of a homogeneous population 243
GUINDANI, M. (See DUAN, J. A.)
GWALTNEY, C. J. (See RATHBUN, S. L.)
HALL, P., NEEMAN, A., PAKYARI, R. and ELMORE, R. Nonparametric inference in multivariate mixtures 767
HART, J. D. (See MA, Y.)
HENDERSON, D. A. (See JONES, M. C.)
HENMI, M., YOSHIDA, R. and EGUCHI, S. Importance sampling via the estimated sampler 985
HOLMES, C. C. (See JASRA, A.)
HSU, J. C. (See HUANG, Y.)
HUANG, J. (See LU, M.)
HUANG, Y. and HSU, J. C. Hochberg's step-up method: cutting corners off Holm's step-down method 965
HUANG, Y. (See PENG, L.)
JACKSON, J. B. (See CHEN, Y. Q.)

JASRA, A., STEPHENS, D. A. and HOLMES, C. C. Population-based reversible jump Markov chain Monte Carlo 787
JIANG, J. and ZHOU, H. Additive hazard regression with auxiliary covariates 359
JONES, M. C. and HENDERSON, D. A. Kernel-type density estimation on the unit interval 977
JUNGBACKER, B. and KOOPMAN, S. J. Monte Carlo estimation for nonlinear non-Gaussian state space models 827
JUPP, P. E. (See GOUDIE, I. B. J.)
KATZOFF, M. (See LAHIRI, S. N.)
KENWARD, M. G. (See YUN, S.-C.)
KIM, S.-H. (See FIENBERG, S. E.)
KONG, E. and XIA, Y. Variable selection for the single-index model 217
KOOPMAN, S. J. (See JUNGBACKER, B.)
KUK, A. Y. C. A hybrid pairwise likelihood method 939
KULASEKERA, K. B. (See LIN, W.)
KUME, A., DRYDEN, I. L. and LE, H. Shape-space smoothing splines for planar landmark data 513
KUROKI, M. Graphical identifiability criteria for causal effects in studies with an unobserved treatment/response variable 37
LAHIRI, S. N., MAITI, T., KATZOFF, M. and PARSONS, V. Resampling-based empirical prediction: an application to small area estimation 469
LAROCQUE, D., NEVALAINEN, J. and OJA, H. A weighted multivariate sign test for cluster-correlated data 267
LE, H. (See KUME, A.)
LEE, T. C. M. (See OH, H.-S.)
LEE, Y. (See YUN, S.-C.)
LI, B. (See COOK, R. D.)
LI, L. Sparse sufficient dimension reduction 603
LI, L., COOK, R. D. and TSAI, C.-L. Partial inverse regression 615
LI, R. (See WANG, H.)
LIANG, H., WANG, S. and CARROLL, R. J. Partially linear models with missing response variables and error-prone covariates 185
LIJOI, A., MENA, R. H. and PRÜNSTER, I. Bayesian nonparametric estimation of the probability of discovering new species 769
LIN, W. and KULASEKERA, K. B. Identifiability of single-index models and additive-index models 496
LIN, Y. (See YUAN, M.)
LOCKHART, R. A., O'REILLY, F. J. and STEPHENS, M. A. Use of the Gibbs sampler to obtain conditional tests, with applications 992
LU, M., ZHANG, Y. and HUANG, J. Estimation of the mean function with panel count data using monotone polynomial splines 705
LU, W. (See ZHANG, H. H.)
MA, Y. and HART, J. D. Constrained local likelihood estimators for semiparametric skew-normal distributions 119
MAITI, T. (See LAHIRI, S. N.)
MAMMEN, E. and NIELSEN, J. P. A general approach to the predictability issue in survival analysis with applications 873
MARDER, K. (See WANG, Y.)
MARRON, J. S. (See AHN, J.)

MARTINUSSEN, T. and SCHEIKE, T. H. Aalen additive hazards change-point model . . 861
MASSAM, H. (See CARVALHO, C. M.)
MENA, R. H. (See LIJOI, A.)
MUKHERJEE, K., SHUMWAY, R. H. and VEROSUB, K. L. On the alignment of multiple time series fragments 347
MULLER, K. M. (See AHN, J.)
NEEMAN, A. (See HALL, P.)
NEVALAINEN, J. (See LAROCQUE, D.)
NIELSEN, J. P. (See MAMMEN, E.)
NYCHKA, D. W. (See OH, H.-S.)
O'HAGAN, A. (See OAKLEY, J. E.)
O'REILLY, F. J. (See LOCKHART, R. A.)
OAKLEY, J. E. and O'HAGAN, A. Uncertainty in prior elicitations: a nonparametric approach 427
OH, H.-S., NYCHKA, D. W. and LEE, T. C. M. The role of pseudo data for robust smoothing with application to wavelet regression 893
OJA, H. (See LAROCQUE, D.)
OLLER, R., GÓMEZ, G. and CALLE, M. L. Interval censoring: identifiability and the constant-sum property 61
PAKYARI, R. (See HALL, P.)
PARSONS, V. (See LAHIRI, S. N.)
PENG, L. and FINE, J. P. Nonparametric quantile inference with competing-risks data . 735
PENG, L. and HUANG, Y. Survival analysis with temporal covariate effects . . . 719
PENNONI, F. (See BARTOLUCCI, F.)
POURAHMADI, M. Cholesky decompositions and estimation of a covariance matrix: orthogonality of variance–correlation parameters 1006
PRENDERGAST, L. A. Implications of influence function analysis for sliced inverse regression and sliced average variance estimation. 585
PRÜNSTER, I. (See LIJOI, A.)
RABINOWITZ, D. (See WANG, Y.)
RATHBUN, S. L., SHIFFMAN, S. and GWALTNEY, C. J. Modelling the effects of partially observed covariates on Poisson process intensity 153
REITER, J. P. Small-sample degrees of freedom for multi-component significance tests with multiple imputation for missing data 502
RICHARDSON, T. S. (See CHAUDHURI, S.)
ROBINS, J. (See VANSTEELANDT, S.)
ROSEN, O. and STOFFER, D. S. Automatic estimation of multivariate spectra via smoothing splines 335
ROTNITZKY, A. (See VANSTEELANDT, S.)
RUE, H. (See FRIEL, N.)
SAMIA, N. I., CHAN, K.-S. and STENSETH, N. C. A generalized threshold mixed model for analyzing nonnormal nonlinear time series, with application to plague in Kazakhstan 101
SCHEIKE, T. H. (See MARTINUSSEN, T.)
SEN, B. and BANERJEE, M. A pseudolikelihood method for analyzing interval censored data 71
SEVERINI, T. A. Integrated likelihood functions for non-Bayesian inference . . . 529

SHAO, Y., COOK, R. D. and WEISBERG, S. Marginal tests with sliced average variance estimation 285
SHAW, R. G. (See GEYER, C. J.)
SHIFFMAN, S. (See RATHBUN, S. L.)
SHUMWAY, R. H. (See MUKHERJEE, K.)
STENSETH, N. C. (See SAMIA, N. I.)
STEPHENS, D. A. (See GANDER, M. P. S.)
STEPHENS, D. A. (See JASRA, A.)
STEPHENS, M. A. (See LOCKHART, R. A.)
STOFFER, D. S. (See ROSEN, O.)
TAYLOR, J. E., WORSLEY, K. J. and GOSSELIN, F. Maxima of discretely sampled random fields, with an application to 'bubbles' 1
THOMPSON, E. A. and GEYER, C. J. Fuzzy p-values in latent variable problems . . 49
TIAN, L., CAI, T., GOETGHEBEUR, E. and WEI, L. J. Model evaluation based on the sampling distribution of estimated absolute prediction error 297
TSAI, C.-L. (See LI, L.)
TSAI, C.-L. (See WANG, H.)
UEKI, M. and FUEDA, K. Adjusting estimative prediction limits 509
VAN DEN BERG, G. J. (See ABBRING, J. H.)
VANSTEELANDT, S., ROTNITZKY, A. and ROBINS, J. Estimation of regression models for the mean of repeated outcomes under nonignorable nonmonotone nonresponse . 841
VEROSUB, K. L. (See MUKHERJEE, K.)
WAGENIUS, S. (See GEYER, C. J.)
WANG, H., LI, R. and TSAI, C.-L. Tuning parameter selectors for the smoothly clipped absolute deviation method 553
WANG, S. (See LIANG, H.)
WANG, Y., CLARK, L. N., MARDER, K. and RABINOWITZ, D. Nonparametric estimation of age-at-onset distributions from censored kin-cohort data 403
WEI, L. J. (See TIAN, L.)
WEISBERG, S. (See SHAO, Y.)
WEST, M. (See CARVALHO, C. M.)
WILLIAMS, E. R. (See BAILEY, R. A.)
WORSLEY, K. J. (See TAYLOR, J. E.)
XIA, Y. (See KONG, E.)
XUE, L. and ZHU, L. Empirical likelihood semiparametric regression analysis for longitudinal data 921
YANG, J. (See CHEN, Y. Q.)
YOO, J. K. and COOK, R. D. Optimal sufficient dimension reduction for the conditional mean in multivariate regression 231
YOSHIDA, R. (See HENMI, M.)
YUAN, M. and LIN, Y. Model selection and estimation in the Gaussian graphical model . 19
YUN, S.-C., LEE, Y. and KENWARD, M. G. Using hierarchical likelihood for missing data problems 905
ZHANG, H. H. and LU, W. Adaptive Lasso for Cox's proportional hazards model . . 691
ZHANG, Y. (See LU, M.)
ZHOU, H. (See JIANG, J.)
ZHU, L. (See XUE, L.)